

Cellulite has a talent for showing up precisely where shorts end. Upper thighs, especially the outer and back sections, tend to collect those small divots that look like the moon's surface on a humid day. If you've ever pinched the skin above your hamstrings and watched a grid of dimples appear, you're not imagining it or doing anything wrong. You're just looking at a very normal skin-and-fat architecture issue that doesn't care how many squats you do.

I work with patients who want a practical, honest plan for smoothing things out. Some want a sharper silhouette for a wedding or a vacation. Others want the kind of slow, steady improvement that looks like better skin quality under any lighting. The trick is knowing what each option actually does, what it can't do, and how to pair it with habits that keep improvements from slipping away.

What cellulite really is, and why the upper thighs get it

Cellulite is not loose skin. It's not just fat, either. It's the way fibrous septa, think thin connective tissue bands, tether the skin down to deeper structures while the fat between them pushes upward. That push-pull tension creates dimpling at the surface, especially in areas where fat lobules are soft and the septa are tight. Women get it more than men largely because of differences in septa orientation and fat distribution. Hormones influence both, which is why cellulite often worsens with puberty, pregnancy, perimenopause, and weight fluctuations.

The upper thighs are a perfect storm. There's the iliotibial band on the outside, a frequent site of tightness. There's a relatively thick fat pad, especially on the posterolateral thigh. And there's constant shear from sitting, walking, and workouts that can irritate fascia and make dimples look deeper when the skin is dehydrated or the muscles are fatigued. Add in lighting from above, such as in fitting rooms, and every little texture announces itself.

Genetics matter here. I've had Olympic-level sprinters with dimples that ignore perfect training and low body fat. I've also seen people with soft tissue laxity and a smooth thigh canvas. You can improve the appearance significantly, but the architecture means there's no one magic fix.

Quick myths to retire

The internet loves a miracle cure, and cellulite is a favorite target. Coffee grounds in the shower make your bathroom smell like a café, but they won't remodel septa. "Detox" wraps dehydrate you temporarily, so the skin looks slightly tighter for a few hours, then rebounds. Aggressive foam rolling helps with soreness and mobility, not fibrous tethering. Topical retinoids and caffeine gels can make a mild difference in skin texture and fluid dynamics, but they don't cut dimples loose. When a claim promises to "melt cellulite," ask what exactly it's doing to the septa, fat lobules, or skin thickness. If the answer is vague, you have your answer.

How pros classify what they're looking at

A quick staging helps guide treatment choices:

- Mild: dimples appear with a pinch test or under harsh light. Skin is otherwise smooth.
- Moderate: dimples visible when standing, less so when lying down. Some orange-peel texture.
- Severe: deep, visible divots in all positions, often with skin laxity or rippling.

I also look for skin quality, such as crepey texture versus thick, well-hydrated dermis, and whether the issue is primarily dimples, waviness from uneven fat, or true laxity. The upper thighs often combine all three, but dimples

tend to dominate.

What actually works on dimples

Treatments land in three buckets: cutting septa, shrinking or redistributing fat, and improving skin thickness or elasticity. The best results usually come from blending one from each category, matched to your anatomy and goals.

Subcision and its cousins: tackling the tethers

Dimples exist because fibrous bands pull down. The most straightforward fix is to release those bands.

Manual subcision uses a small needle or blade under local anesthetic to slice the tether. It's precise, relatively quick, and can be done in-office. Expect bruising and tenderness for a week or two. Results show up fast and often hold, though new or adjacent dimples can appear over time.

Vacuum-assisted subcision adds a device that lifts the tissue and cuts septa at a consistent depth. The benefit is controlled release with reduced risk of surface irregularities. The downside is more swelling for a few days.

Tissue-stabilized subcision, one branded system uses controlled suction and a microblade to target septa at mapped depths. Studies show durable improvement in a single session for many patients. It's efficient for the upper outer thigh where tethers are often dense and easy to feel.

Energy-based septa release, newer radiofrequency microneedling platforms use insulated needles to mechanically disrupt fibrous bands while delivering heat to firm the dermis. This is a two-for-one approach when dimples and skin laxity overlap. Plan on a series of sessions, usually three, spaced about a month apart.

If you have distinct, countable dimples, subcision in some form tends to produce the most obvious improvement. If the surface is more wavy than dimpled, or laxity dominates, we shift to other tools.

The fat piece: small changes, big difference in shape

You don't need to be overweight to have cellulite. Still, slight reductions in superficial fat can help the skin sit more evenly.

Cryolipolysis, often called fat freezing, helps debulk pockets along the outer and posterior thighs. The effect is gradual, about 20 percent reduction per treated area over two to three months, and it won't sharpen a single dimple. It does smooth the contour and can make dimples less conspicuous. It's also a no-downtime option if you plan ahead.

Deoxycholic acid, the same molecule used to dissolve small fat pads under the chin, can be used off-label in tiny, carefully mapped injections near stubborn "pillows" around dimples. Think of it as micro-sculpting. It stings, it swells, and it requires an experienced injector to avoid irregularities, but for select cases it's elegant and precise.

Micro-liposuction is still the most controllable way to redistribute or remove superficial fat. The risk here is going too shallow, which can create more irregularity or worsen cellulite if the cannula disrupts support. In the right hands, small-volume liposuction paired with subcision gives a noticeable smoothing on the upper outer thigh. Recovery is longer, with bruising and compression garments for a few weeks.

Skin thickening and tightening: the cover you need

The thicker and more elastic the skin, the less any underlying irregularity will show. That's why cellulite often looks better in the summer, when skin is a touch plumper and you're less pale.

Biostimulatory fillers, such as diluted calcium hydroxylapatite, can be injected in a fan pattern to thicken the dermis and improve the “drape” over the fat. The effect is subtle but real, building over two to three months and lasting a year or more. I often use this when dimples are mild but the skin looks thin or crepey.

Collagen induction devices, especially radiofrequency microneedling, firm the dermis and provide a gentle smoothing across a broader field. It won’t cut fibrous bands, but it changes the canvas. Three sessions, then a maintenance session every 6 to 12 months, is common. It works well on the upper thighs where skin can look especially slack after weight loss.

Acoustic wave therapy, sometimes named shockwave, increases blood flow and may improve lymphatic drainage. When combined with other treatments, it can amplify results. On its own, expect modest smoothing that fades without maintenance. The upside is no downtime and a pleasant, gym-adjacent feel.

Topicals, yes, they have a role. Formulas with retinol or retinaldehyde, caffeine or aminophylline, and peptides can improve texture and transiently de-puff. The change is small, think 10 to 20 percent softer look, but consistent use helps you hold onto gains from procedures.

Surgical detours, when the map calls for it

If laxity is severe, for instance after major weight loss, a thigh lift addresses the excess skin first. It’s a commitment, with scars and recovery, but it removes the drapery that exaggerates dimpling. After healing, small residual dimples can be treated more effectively. I only recommend this when skin excess drives the concern.

How to decide on a plan without wasting time or money

I start by mapping the specific dimples while you stand under honest lighting. We mark them, press and hold to see which are tethered, then sit and lie down to see what moves. We identify the difference between a dimple and a mound next to it. With that map, we decide where subcision helps, where a bit of debulking smooths a bulge, and where the skin would benefit from thickening treatments.

If you want the most improvement fastest, a combination day works well: subcision for discrete dimples, followed by radiofrequency microneedling or diluted biostimulatory filler for skin quality. Add cryolipolysis or micro-liposuction if there’s clear contour excess. Expect some bruising, tenderness, and a few weeks for the picture to settle.

If you prefer a slower, lower-downtime path, do a series of energy-based treatments and topicals first, reassess in three months, then selectively subcise the dimples that still bother you most.

Expectations matter. Most patients see a 30 to 60 percent improvement in the look of upper thigh dimples with a thoughtful plan. Some reach 70 percent or more, especially if skin quality cooperates. Completely erasing cellulite across the entire thigh is unusual. The goal is a surface that looks smooth in natural light and flattering under clothing, with far less of that “puckered” look when you cross your legs or sit.

Recovery details that don’t get advertised

Bruising is normal after subcision. On the upper thighs, it can be dramatic for a few days, then clears. Plan around events and avoid aspirin or fish oil for a week beforehand if your doctor agrees. Compression shorts help with swelling and comfort, worn day and night for one to two weeks.

Movement is your friend, heavy workouts are not for the first few days. Gentle walking reduces swelling and stiffness. High-impact exercise and deep tissue massage can wait a week. Heat helps with tenderness after the

first [pressotherapy for cellulite](#) 24 hours, but skip saunas early if you bruise easily.

Skin care makes a difference. A simple routine with a gentle wash, a retinoid at night a few times a week if your skin tolerates it, and a no-fragrance moisturizer morning and night builds a healthier barrier. Hydrated skin reflects light better, which makes dimples less visible.

Photography is surprisingly useful. Take pictures with the same lighting and pose each time. Without this, human memory is unreliable. I've had patients swear nothing changed, then compare side-by-sides and admit it looks far smoother.

How workouts fit in without pretending they're a cure

Muscle can lift contours and reduce the contrast that makes dimples stand out. You don't need to turn into a powerlifter. Two to three weekly sessions that target the glutes and lateral thigh produce visible payoff. Hip thrusts, Bulgarian split squats, lateral band walks, step-ups on a low bench, plus hamstring work like Romanian deadlifts, build gentle curves that give the skin something smooth to lie over.

Cardio supports circulation and insulin sensitivity, which helps prevent fat cells from swelling. Intervals on a bike or uphill walking are great choices if running pounds your joints. If a workout inflames your IT band and makes your outer thigh tight and tender, you might notice cellulite looks worse the next day. That's temporary and a sign to balance your program.

Nutrition matters less for cellulite than for overall health, but sodium drops and alcohol moderation reduce transient swelling. I've seen perfectly executed treatment results look underwhelming on Monday after a salty weekend. Then they look terrific by Thursday.

What it costs, what lasts, and how to budget

Prices vary by region and clinic, but a rough range helps with planning.

- Subcision: often billed per area or by the hour. Expect a few hundred to a couple thousand dollars depending on how many dimples and whether a specialized device is used. Longevity is good, years rather than months, because the bands are physically released. New dimples can appear with time, but treated ones rarely return with the same depth.
- Energy-based tightening or RF microneedling: typically done as a series, with each session priced mid to high three figures or low four figures per large area. Maintenance once or twice a year preserves the gains.
- Cryolipolysis: priced per applicator. The upper thighs often need two or more panels per side if you are addressing both outer and posterior regions. Results accumulate over two to three months and are considered permanent for the fat cells treated, though weight gain can mask the improvement.
- Biostimulatory filler for skin thickening: cost depends on the number of syringes and dilution strategy. The effect usually lasts a year or more, sometimes much longer if combined with energy treatments that support collagen.

Insurance doesn't cover any of this. If you have to prioritize, fund the therapy that targets the main driver of your dimples. For sharply defined tethers, that's subcision. For an overall "blurry" cottage-cheese look over a broad area, start with energy-based skin work and small-scale debulking if indicated.

Who should skip or modify certain treatments

Bleeding disorders or blood thinners complicate subcision or injections. They aren't absolute deal-breakers, but they demand coordination with your prescribing doctor and a more cautious plan.

Keloid formers should be careful with anything that penetrates the skin. The thigh is not a high-risk site for keloids, but hypertrophic scarring can still happen, especially with poor post-care or infection.

Recent major weight changes make results unpredictable. If you plan to lose more than 10 percent of your body weight, postpone. Cellulite can shift as fat volume changes, and you'll make better choices once you've stabilized.

Pregnancy and breastfeeding take most options off the table. Stick with conservative skin care, gentle massage to help lymphatic flow, and walk. Pick up procedures later.

People seeking perfection will be disappointed. The technology can score wins, not miracles. If you want to never see a dimple again from any angle or lighting, that's a Photoshop project, not a medical one.

A realistic timeline for upper thigh smoothing

Most people prefer to be ready for an event in three months. That's doable with the right plan.

Month 0: assessment and mapping, photography, pick your primary target. If you have distinct dimples, schedule subcision now. If laxity is dominant, schedule RF microneedling or another collagen induction series.

Weeks 1 to 2: bruising and swelling settle. Maintain compression as advised. Begin gentle workouts again. Dial in skin care with retinoid, moisturizer, and sunscreen.

Weeks 3 to 6: first visible changes, especially with subcision. If you're doing energy series, this is when session two happens. If cryolipolysis was done at the start, contour changes begin.

Weeks 8 to 12: results mature. Any touch-up subcision for dimples that still show most? Do it now. Consider biostimulatory filler if the skin needs more body. Adjust workouts to emphasize glute and hamstring support.

Beyond 3 months: maintenance routines hold the line. A quarterly or semiannual energy treatment plus consistent skin care keeps the surface smooth.

What a well-constructed plan looks like in practice

A patient with a handful of deep outer thigh dimples and good skin thickness: one session of vacuum-assisted subcision to release the seven worst tethers, compression shorts for 10 days, back to lower-body training by day five. At six weeks, faint residual ripples under side lighting, barely noticeable otherwise. No energy devices needed, just topical retinoid and a firming moisturizer. She's done for now, revisits in a year to check for new tethers.

Another patient with moderate dimpling across the back of the thighs and slightly crepey skin after a 15-pound weight loss: three sessions of RF microneedling at monthly intervals, followed by strategic manual subcision on the four most stubborn dimples. Modest cryolipolysis on the posterolateral pads to smooth the contour. At three months, the thighs look markedly more uniform, especially in photos with the same pose. Maintenance RF every 9 months planned.

A lean runner with waves more than dimples on the upper outer thighs, plus IT band tightness: skip subcision initially. Use acoustic wave therapy for soft-tissue mobility and microcirculation, add RF microneedling to densify skin, and adjust training to include lateral chain strengthening and glute medius activation. Reassess in two months. If any true dimples remain, subcise those few.

Everyday habits that support your results

Cellulite reduction treatment does the heavy lifting, but daily choices keep the improvements visible.



- Hydrate and salt-smart: keep hydration steady and avoid sodium spikes before events. Skin looks plumper and less etched when water balance is stable.
- Retinoid rhythm: if your skin tolerates it, use a pea-sized retinoid on the upper thighs three nights a week. Pair with a bland, fragrance-free moisturizer. Retinoids are marathoners, not sprinters.
- Strength before sweat: do glute activation and lateral stability work before cardio. When the hips track better, the skin pulls less across irritated fascia, which subtly improves appearance.
- Sun sense: UV thins collagen. If you sunbathe your thighs, at least protect them during peak hours. A broad-spectrum SPF 30 plus helps preserve the dermal thickness you're working to build.
- Photography check-ins: same light, same stance, every six weeks. It keeps expectations honest and progress rewarding.

Edge cases and tricky scenarios

Dimples that vanish when the skin is stretched sideways often respond well to subcision. If a dimple doesn't change at all when you stretch the skin, it might be more of a volume issue or a scar-like tether deeper than usual. Those benefit from a combined approach and sometimes require a second pass.

Skin with significant stretch marks behaves differently. Striae are zones where the dermis is already thinned and disrupted. Aggressive subcision under a field of stretch marks can create waviness. In those areas, I lean more on collagen induction first, then a lighter touch with subcision if needed.

Post-liposuction irregularities often get mislabeled as cellulite. The pattern looks more linear or patchy, not dot-like. These respond better to a mix of subcision to free scarred planes, biostimulatory filler for volume, and sometimes fractional resurfacing to improve the superficial texture.

The emotional side no one should ignore

Cellulite sits at the intersection of lighting, clothing, self-critique, and social media. I've seen people cancel beach trips over three dimples while friends with more noticeable texture never think twice. There's no moral high ground here. If smoothing your thighs makes you feel better in your clothes, that's valid. If you'd rather spend your time and money on travel or a new bike, also valid. The goal is to make conscious choices instead of chasing an airbrushed ideal that doesn't exist outside a screen.

Putting it all together

For upper thighs, the winning formula is simple to say, specific to execute. Find the tethers and release them. Even out the terrain with small, smart changes to fat volume when appropriate. Thicken and firm the skin so it drapes better. Support everything with sensible training, hydration, and skin care. Give the process enough time to work, usually a few months, and measure progress the same way each time.

If a practitioner promises to "erase cellulite" across your thighs in one painless session, take a breath and ask questions. If they map your dimples under good light, explain what each tool does to either the septa, the fat, or the dermis, and sketch a plan that matches your anatomy, you're in the right hands.

Smooth enough to wear the shorts you like, confident enough to forget about the rest, and practical enough to maintain it without turning your life into a regimen. That's the sweet spot for a cellulite reduction treatment strategy that targets upper thigh dimples and respects reality.

Innovative Aesthetic inc

150 Kenaston Blvd, Winnipeg, MB R3N 1V2

<https://innovativeaesthetic.ca/>