

The typical 1-car garage door replacement cost in Los Angeles is often approximately \$900 to \$3,500, including the door and installation labor. Basic steel doors are usually less expensive, while insulated panels, wood construction, custom windows, decorative hardware, and smart controls can increase the replacement price. A garage door repair may cost significantly less when the existing door is still structurally solid.

EM Garage Doors And Gate Service Inc

19629 Cantara St, Reseda, CA 91335

(818) 919-0785

<https://emgaragedoorsandgateservice.com/>

<https://maps.app.goo.gl/XujLWxA4pAQKARQT8>

34.2193569, -118.5613022

Actual pricing is determined by the door size, material, condition of the opening, removal of the old door, installation requirements, and whether you also need a garage door opener. This guide separates the cost of the door, parts, labor, permits, and common repairs so Los Angeles homeowners can request a better-informed repair estimate.

1-Car Garage Door Replacement Cost in Los Angeles

A typical single-car garage door is usually about 8 to 10 feet wide and 7 to 8 feet high. For a basic single-car garage door, homeowners in Los Angeles may see the following general ranges:

- **Basic steel door:** approximately \$900 to \$1,800 installed
- **Energy-efficient steel door:** approximately \$1,300 to \$2,500 installed
- **Aluminum or contemporary glass-style door:** approximately \$1,800 to \$4,000 installed
- **Timber garage door:** approximately \$1,800 to \$4,500 or more installed
- **Tailored design:** approximately \$3,000 to \$6,000 or more, depending on materials and detailing

These are planning ranges rather than guaranteed quotes. The garage door replacement cost may include removal and disposal of the old door, new tracks, rollers, hinges, cables, springs, weatherstripping, and installation labor. It may not include a new garage door opener, electrical work, structural framing, permit fees, painting, or repairs to a damaged header.

Installation labor is a significant portion of the total. A standard garage door installation may take less time than a project involving an unusual door size, deteriorated framing, tight driveway access, or a custom design. Los Angeles traffic, parking limitations, neighborhood travel distance, and same-day availability can also affect labor costs and the service call fee.

When comparing quotes, ask whether the price covers the entire operating system <https://emgaragedoorsandgateservice.com/services/garage-door-installation-los-angeles.html> or only the door sections. A thorough estimate should identify the door, hardware, springs, tracks, safety inspection, removal, disposal, labor, taxes, and warranty terms.

Average Garage Door Repair Cost by Service

The average garage door repair cost in Los Angeles often comes between \$150 and \$800 for common repairs, although major damage or replacement components can cost more. Garage door repair pricing depends on the failed part, access, urgency, and whether the technician performs an emergency repair outside normal hours.

A service call fee may range from roughly \$75 to \$150 before parts and labor. Some companies apply that fee toward approved repair work, while others charge it separately. Confirm this point before scheduling a visit.

- **Inspection and safety adjustment:** about \$75 to \$175
- **Worn rollers:** about \$150 to \$350
- **Track repair or adjustment for damage:** about \$125 to \$400
- **Cable replacement:** about \$150 to \$350
- **Hinge or bracket replacement:** about \$100 to \$250
- **Broken spring repair:** about \$200 to \$500
- **Panel repair or replacement:** about \$250 to \$1,200 or more
- **Urgent repair:** commonly higher than standard-hours service

A licensed technician should inspect the entire system rather than replacing only the visibly broken component. A door that will not close may have a broken spring, damaged track, failed opener, misaligned photo-eye, loose cable, or multiple worn parts. Parts and labor should be listed separately on the repair estimate whenever possible.



Garage Door Spring Replacement Cost

The garage door spring cost is commonly about \$200 to \$500 for replacement, including parts and labor. The final amount depends on the spring type, door weight, number of springs, access, and whether other hardware is damaged.

A **torsion spring** is mounted above the door opening and controls the door's balance as it moves. Many modern residential doors use one or two torsion springs. An **extension spring** stretches along the horizontal tracks and may be found on older systems. Each design requires the correct replacement part and installation procedure.

A broken spring can leave a door extremely heavy or unable to be lifted. Homeowners should not attempt to take off or unwind a loaded spring because it stores substantial energy. A professional can perform a safety inspection, check the cables and drums, test the balance, and recommend replacement of both springs when the system uses a matched pair.

When searching for “garage door spring replacement near me,” verify that the provider serves your part of Los Angeles, carries the correct spring sizes, and gives a written estimate before work begins. Same-day availability may be convenient, but emergency scheduling, traffic, and after-hours labor can increase the total price.

Garage Door Panel Repair or Replacement

A garage door panel can be dented by a vehicle, damaged by wind, weakened by moisture, or bent when the door operates against an obstruction. On a sectional garage door, individual sections may sometimes be replaced instead of replacing the entire door.

Minor door damage may be corrected through track adjustment, hinge replacement, or limited panel repair. A panel replacement commonly costs about \$250 to \$1,200, depending on the material, color, insulation, windows, and whether the original section is still available. Matching a discontinued design can be difficult and may make full garage door replacement more practical.

Panel replacement makes sense when the remaining sections are in good condition and the door is relatively new. If several sections are cracked, the frame is distorted, the hardware is worn, or the finish no longer matches, replacing the complete door may provide greater long-term value. A technician should also check whether door damage affected the tracks, rollers, cables, or opener.

Garage Door Opener Installation Cost

The garage door opener installation cost is often about \$350 to \$900 for the opener and professional installation. Complex wiring, high ceilings, unusual framing, battery backup, or a new electrical outlet can increase the price.

A basic chain-drive opener is generally a sensible choice for a detached garage or a homeowner focused on reduced initial cost. Chain-operated opener systems can be long-lasting, although they may produce more shaking and noise than belt-driven models.

A modern garage door opener may include backup battery power, rolling-code protection, vehicle operation features, motion-sensing lights, and smartphone connectivity. A smart garage door opener allows homeowners to observe and use the door through a compatible app, but the home’s Wi-Fi signal and network settings can impact performance.

Before installing an opener, the technician should ensure that the door is properly balanced. An automatic opener is not designed to compensate for a heavy door, broken spring, damaged track, or worn rollers. Fixing those problems first can preserve the opener and increase safety.

What Affects the Price of a One-Car Overhead Garage Door?

The overhead garage door price is determined by more than the opening width. Door material is one of the largest influences. A steel garage door is often the most economical and offers good durability. An aluminum garage door can provide a lighter, contemporary appearance, while a wood garage door offers natural character but usually requires more maintenance.

Insulation also affects the cost. An insulated garage door with insulated panels can enhance temperature control, reduce outside noise, and make the garage more comfortable for storage or workspace use. Insulation is

especially useful when the garage shares walls with living areas. It can also add weight, so the springs and garage door opener must be appropriately rated.

Custom design features can substantially increase the replacement price. Windows, specialty glass, carriage-house details, decorative handles, unusual colors, high-end finishes, and custom panel patterns all add material and labor costs. A nonstandard door size may require modifications to the opening or special-order components.

Other cost factors include the condition of the header, side jambs, ceiling clearance, tracks, rollers, cables, weather seals, and electrical supply. If the opening is not square or the framing is deteriorated, garage door installation may require carpentry before the new door can operate correctly.

1-Car vs. 2-Car Garage Door Replacement Cost

The 2 car garage door replacement cost is generally greater than the price of a one-car system because the door is broader, heavier, and requires bigger or more durable components. A typical two car garage door may cost approximately \$1,500 to \$4,500 installed, with custom wood, glass, or heavily insulated models costing more.

The two car garage door replacement cost is not always double the single-door price. A double garage door uses one large opening and one operating system, which can minimize some installation steps. However, its wider door width places greater loads on springs, tracks, rollers, hinges, and the opener. A failure can also make the entire garage opening unusable.

Some homeowners prefer two separate single-car doors instead of one double garage door. Two doors may provide more flexibility, allow one vehicle space to remain accessible, and reduce the size of each moving section. They also require two openers and two sets of hardware, so the total installation cost may be more expensive.

The best choice depends on the framing, available driveway space, appearance, insulation goals, and how the garage is used. An on-site measurement is important because nominal door width does not confirm the exact opening dimensions or required headroom.

Repair vs. Replacement: What Option Makes the Most Sense?

Garage door repair is usually the better option when the door sections are in good condition and the problem is confined to a broken spring, worn rollers, damaged cable, loose hinge, or misaligned track. Repair can restore safe operation without the expense of a complete garage door replacement.

Replacement may be more practical when the door has extensive door damage, repeated failures, severe rust, warped sections, outdated hardware, or a short remaining door lifespan. A door that is near the end of its service life may continue to call for repairs after one component is replaced.

Use this repair-or-replacement guide:

- **Opt for repair** when the door is relatively new, attractive, structurally sound, and the repair is isolated.
- **Consider replacement** when more than one major part is failing or the door is difficult to balance and operate.
- **Opt for replacement** when you want improved insulation, improved security, quieter operation, or a new design.
- **Start with repair** when the opener is struggling because the door itself is heavy, crooked, or out of balance.

Ask the technician to explain the expected door lifespan after the repair, not just the immediate fix. A transparent recommendation should explain the risks, the condition of related parts, and the total cost of both options.

Finding Garage door repair Near Me in Los Angeles

Looking for “garage door repair near me” can produce many providers, but distance alone does not confirm quality. Look for a properly certified contractor with a checkable business identity, transparent service policies, and familiarity with the type of overhead garage door installed at your home.

Ask whether the company’s qualified technician handles residential repairs in your neighborhood and whether the local service area includes the Westside, Downtown Los Angeles, the San Fernando Valley, South Bay, or nearby Los Angeles County communities. Travel distance and traffic can affect arrival times and the service call fee.

Before authorizing work, request a detailed written quote that identifies the problem diagnosis, parts, labor, warranty, disposal, taxes, and any additional charges. Do not base your decision only on a low advertised price if it excludes essential hardware or uses vague descriptions such as “complete repair.”

For spring work, verify that the company carries properly sized springs and provides a safety inspection after installation. For panel work, ask whether the replacement section will match the existing color, texture, windows, and insulation. For opener service, ask whether programming, testing, and battery backup are included.

Los Angeles Garage Door Permits, Labor, and Local Factors

Permit obligations and inspection rules can differ between the City of Los Angeles and other cities within Los Angeles County. Homeowners should confirm requirements with the relevant building department before beginning a replacement, structural modification, or electrical work. Los Angeles building permits may not be handled under exactly the same process as permits in neighboring jurisdictions.

California contractor licensing is another important consideration for larger installations and construction-related work. Ask for the contractor’s license information, insurance details, and written contract. A qualified provider should be willing to explain which work is included and whether a permit is needed.

Coastal communities such as Santa Monica, Long Beach, and Malibu may experience salt-air corrosion on exposed metal hardware. Corrosion can increase maintenance needs for springs, cables, fasteners, tracks, and other components. Galvanized or corrosion-resistant hardware may cost more initially but can be well-suited for the local environment.

Hotter inland areas, including the San Fernando Valley and parts of the Inland Empire, can place additional heat exposure on weather seals, lubricants, and opener components. Regular inspection and correct lubrication may help identify deterioration before it causes an operating problem.

Labor costs also reflect the local service conditions. A technician traveling across Los Angeles during heavy traffic may spend substantially more time on a call than one serving a nearby neighborhood. Same-day availability and emergency repair appointments may carry additional charges, particularly during evenings, weekends, or holidays.

How to Compare Garage Door Repair Pricing

Begin by requesting a repair estimate based on an in-person inspection rather than accepting a broad phone quote. The estimate should state whether the recommended solution is garage door repair or garage door replacement and explain why.

Compare parts and labor separately. Check the number and type of coils, rollers, joints, cables, sections, rails, and other components. If the quote includes an opener, confirm the drive type, lifting capacity, safety sensors, battery backup, and smart features.

Examine the warranty carefully. A parts warranty may not cover labor, adjustment, corrosion, accidental damage, or normal wear. Ask how long the installation warranty lasts and whether a follow-up adjustment is included.

Also confirm the service call fee, emergency service surcharge, disposal charge, permit responsibility, and payment schedule. The lowest initial number may not be the lowest final price if essential work is excluded. A reputable contractor should provide a written estimate and explain any change before performing additional work.

For a replacement, compare the complete installed package: door material, insulation, windows, hardware, springs, tracks, opener compatibility, weather seals, removal, installation, cleanup, and warranty. This approach makes garage door repair pricing easier to evaluate and reduces the chance of unexpected charges.

Frequently Asked Questions

How much does a 1-car garage door replacement cost in Los Angeles?

A 1-car garage door replacement commonly costs about \$900 to \$3,500 installed in Los Angeles. Basic steel models are usually at the lower end, while insulated, wood, aluminum, glass, and custom doors cost more. The final replacement cost may also include removal, new hardware, installation labor, permit-related work, and an opener if needed.

How much does garage door repair cost for a broken spring or damaged panel?

Garage door repair cost for a broken spring is commonly about \$200 to \$500, including parts and labor. A damaged panel may cost about \$250 to \$1,200 or more, depending on the panel material, insulation, design, and availability. A service call fee and emergency scheduling can increase the total.

Is it cheaper to repair a garage door or replace the entire door?

Repair is generally cheaper when the problem is limited to one component, such as garage door springs, rollers, cables, or a track. Replacement may provide better value when the door has extensive damage, repeated problems, severe corrosion, or a limited remaining lifespan. A written comparison of repair and replacement options can help you decide.

How expensive is garage door opener installation?

Garage door opener installation cost is often about \$350 to \$900 for the opener and professional installation. Chain-drive models may [Garage Door Installation](#) have a more affordable purchase price, while quiet, belt-driven, battery-backup, and smart garage door opener systems can cost more. The door should be properly balanced and operating safely before a new opener is installed.

What is the best way to find reliable garage door spring replacement near me?

Search for a local provider with California contractor licensing information, insurance, experienced technicians, and a well-defined warranty. Ask for a written estimate before approving garage door spring replacement near me, and confirm the company will inspect the cables, drums, rollers, tracks, and door balance. Choose a provider that clearly explains parts and labor rather than advertising an unclear low price.