

2-Car Garage Door Pricing in Los Angeles

A typical 2-car garage door in Los Angeles usually measures approximately 16 feet wide by 7 feet high, although some homes use an 18-foot-wide opening or custom dimensions. The overall cost depends on the door material, insulation, windows, hardware, opener, removal of the old door, and installation conditions.

For a simple 2-car overhead garage door, homeowners may see a typical installed price of approximately \$1,200 to \$2,500. A medium-grade insulated door with upgraded hardware commonly costs about \$2,000 to \$4,000 installed. Custom wood, composite, architectural, or highly insulated doors may cost \$4,000 to \$8,000 or more. These are estimated ranges rather than guaranteed quotes because the garage door replacement cost can change substantially after an on-site inspection.

Los Angeles pricing differs among dense city neighborhoods, the San Fernando Valley, the Westside, and nearby cities such as Pasadena, Long Beach, and Santa Monica. Travel time, labor availability, parking, access to the garage, and local competition can all affect the final price. A detached garage, narrow driveway, steep access, or older framing may also increase labor and installation complexity.

For an existing door, garage door repair is often more affordable than full replacement. A repair may involve the springs, garage door tracks, garage door rollers, hinges, cables, weather seal, panels, or garage door opener. However, a damaged or poorly balanced 2-car garage door should be inspected before anyone provides a firm replacement estimate.

Average Garage Door Repair Cost by Repair Type

The garage door repair cost in Los Angeles often falls between \$150 and \$900 for common repairs. Small adjustments, lubrication, or replacing a weather seal may be near the lower end. Spring work, damaged tracks, multiple worn rollers, or opener repairs can reach or exceed the upper end.

A service call fee is typically charged for travel and the initial assessment. It may range from approximately \$75 to \$150, while labor cost may be billed on its own or included in a fixed-price repair price. Ask whether the estimate includes labor and parts, disposal, testing, and any return visit.

Standard garage door repair pricing may include:

- Inspection, adjustment, and lubrication: approximately \$75 to \$200
- Garage door rollers and hinges: approximately \$150 to \$450
- Track adjustment or replacement: approximately \$150 to \$600
- Cable repair or replacement: approximately \$150 to \$350
- Garage door panel repair or replacement: approximately \$250 to \$1,200
- Spring replacement: approximately \$200 to \$500 for a standard residential door
- Garage door opener repair: approximately \$100 to \$350
- Complete opener replacement: approximately \$350 to \$900 installed

Urgent garage door repair after regular business hours can cost more because of late-hour labor and reduced technician availability. One-day service is helpful when a vehicle is blocked in, the door cannot secure the home, or a broken spring has made the door dangerous. A reputable provider should describe the emergency surcharge before starting work.

Spring for Garage Door Replacement Price

The garage door spring cost for a standard 2-car door is generally approximately \$200 to \$500, installation included. Larger, heavier, bespoke, or high-use systems may be more expensive. The final cost depends on the spring size, door weight, number of springs, shaft condition, labor access, and whether associated components is deteriorated.

A torsion spring is installed on a shaft above the garage door and is widely used on modern sectional garage doors. An extension spring is positioned along the horizontal tracks and uses a distinct operating design. Torsion spring replacement is often recommended during upgrades because the system can provide controlled, balanced lifting when correctly sized and installed.

Searches for "garage door spring replacement near me" often return both reputable contractors and inexpensive advertising services. Evaluate beyond the initial price. Verify that the quote specifies the spring type, cycle rating, safety components, labor, warranty, and disposal. Never attempt to remove or adjust a broken spring without the appropriate tools and training. Spring systems store significant energy and can cause serious injury.

A broken spring may leave the door shut, partially open, or unusually heavy. Do not continue using an automatic garage door opener to force a heavy door upward. That can damage the opener, cables, or tracks and create an additional repair.

Garage Door Panel Repair or Replacement Cost

A garage door panel may be repaired when the damage is minor and limited to a hinge, bracket, or small dent. If a section is bent, cracked, rusted, or no longer aligned, panel replacement is usually more suitable. A single replacement panel commonly costs approximately \$250 to \$1,200, including labor, although matching an older door can be difficult.

EM Garage Doors And Gate Service Inc

19629 Cantara St, Reseda, CA 91335

(818) 919-0785

<https://emgaragedoorsandgateservice.com/>

<https://maps.app.goo.gl/XujLWxA4pAQKARQT8>

34.2193569, -118.5613022

A sectional garage door is made of connected horizontal sections. Replacing one damaged panel can preserve the existing opener and most hardware, but the new section must match the manufacturer, model, color, profile, window layout, and insulation level. If the product is discontinued, the contractor may recommend replacing several sections or the entire door.

Panel damage can also affect garage door tracks, rollers, hinges, and the bottom weather seal. A vehicle impact, for example, may bend the panel and shift the track. Replacing only the visible panel without checking the hardware can leave the door noisy, crooked, or unsafe.

Sun exposure is another consideration in Southern California. Doors facing intense afternoon sun may fade, warp, or deteriorate more quickly, particularly if the finish and seals are old. Coastal areas such as Santa Monica, Venice, and Long Beach may require closer inspection of exposed hardware for moisture and salt-air corrosion, especially springs, rollers, tracks, and fasteners.

Garage door opener Fitting and Maintenance Pricing

The garage door opener installation cost for a common 2-car residential door is approximately \$350 to \$900, including the opener and labor. Heavy doors, high ceilings, custom mounting, battery backup, smart-home integration, and new electrical work may increase the price.



A garage door opener should be correctly matched to the door's weight and configuration. A chain-drive opener is generally long-lasting and cost-effective, but it may produce more vibration and noise. A belt-drive opener is typically less noisy and may be more suitable for an attached garage, bedroom above the garage, or home where noise is a concern.

Repair pricing may cover a worn gear, broken trolley, faulty circuit board, damaged rail, wall control, photo-eye sensor, or remote control. Before replacing the entire garage door opener, a technician should inspect the motor, safety sensors, force settings, travel limits, and door balance. An automatic garage door that reverses unexpectedly or fails its safety test should not remain in regular use.

2-Car Garage Door Replacement Cost by Material

The 2-car garage door replacement cost by material generally ranges from approximately \$1,200 to \$8,000 or more installed in the Los Angeles area. The two car garage door replacement cost is determined by the door's construction, windows, insulation, decorative hardware, finish, manufacturer, and installation requirements.

- A simple steel garage door: approximately \$1,200 to \$3,000 installed
- An thermally insulated steel garage door: approximately \$1,800 to \$4,000 installed
- An aluminum garage door: approximately \$2,000 to \$5,000 installed
- A wood garage door: approximately \$2,500 to \$7,000 or more installed
- A composite garage door: approximately \$3,000 to \$8,000 or more installed

These ranges may not include extensive framing, electrical modifications, permit costs, premium glass, demolition, or repairs to the garage opening. A custom garage door can require a more extended manufacturing period and a more detailed replacement estimate.

Steel, Aluminum, Wood, and Composite Door Prices

A steel garage door is one of the most common choices because it offers durability, broad style selection, and relatively predictable maintenance. Single-layer steel is economical, while double- or triple-layer construction adds strength and insulation. A steel door should still be inspected for dents, surface corrosion, failed seals, and loose fasteners.

An aluminum garage door is lightweight and can provide a modern appearance, especially with large glass panels. Its lower weight may reduce stress on some hardware, but thin aluminum can dent more easily. Aluminum may be a useful option for modern homes in areas such as Venice, Santa Monica, or downtown Los Angeles, where appearance and natural light are priorities.

A wood garage door offers a authentic, substantial appearance that can complement older homes and custom architectural designs. It generally requires more long-term maintenance, including refinishing and inspection for moisture damage. Strong sun exposure can cause fading and finish deterioration, while coastal air can accelerate wear on hardware.

A synthetic garage door can reproduce the look of wood with minimal routine maintenance. Depending on the product, composite materials may repel moisture, insects, and warping more effectively than natural wood. Confirm the manufacturer's maintenance requirements and warranty before considering this option.

An insulated garage door has layers of steel, foam, or other insulating material. Its insulation value is commonly measured as an R-value. A higher R-value can enhance comfort and minimize heat transfer, which may matter for an attached garage, converted workspace, or room located above the garage. An insulated garage door can also feel less noisy and more substantial during operation. For a detached garage used mainly for storage, the additional insulation value may be of lesser importance.

What Affects Garage door repair Pricing in LA?

Door size is a significant factor. A 16-foot door contains more material and may require more substantial springs, rollers, cables, and an appropriately rated garage door opener than a single-car door. An 18-foot opening or custom height can add to parts and labor requirements.

Parts availability also affects the quote. Common replacement parts are usually simpler to source, while hardware for an older or discontinued door may require special ordering. Matching a damaged garage door panel can be particularly difficult when the original manufacturer has stopped making the style.

Emergency repair can add to pricing because technicians may need to adjust scheduled appointments or work outside regular hours. Ask whether the service call, diagnosis, parts, labor, and emergency fee are listed separately.

Installation complexity includes garage access, ceiling height, framing condition, electrical availability, opener mounting, and the need to remove an existing door. Detached garages may require additional-length cable runs or extra weather protection. Older Los Angeles homes may have unusual openings, settling, outdated wiring, or framing that needs adjustment before a new door can be installed.

Sun exposure, coastal moisture, HOA design rules, and local permits can also impact the project. Homeowners should verify City of Los Angeles or applicable local building-permit requirements when a replacement changes

the opening, framing, electrical work, or other structural elements. Pasadena, Long Beach, Santa Monica, and other nearby jurisdictions may have their own requirements.

Repair or Replace: Which Option Works Best?

The decision to repair or replace depends on the condition, years of use, safe operation, and expected **LA garage door spring replacement services** usable life of the entire system. Repair is often practical when the door is relatively young, the panels are sound, the frame is square, and the problem is limited to a broken spring, worn rollers, frayed cable, or faulty opener.

Garage door replacement may make more sense when several panels are damaged, the door has repeated failures, the hardware is corroded, the insulation is poor, or the door is difficult to balance. If repair costs reach a significant percentage of a new door, compare both options carefully rather than focusing only on the upfront bill.

Door age is an key factor, but it is only part of the decision. A properly maintained older door may continue operating safely, while a more recent door damaged by impact may need replacement. Consider indoor comfort and energy use, curb appeal, home security, operating noise, manufacturer warranty, and long-term maintenance before deciding.

Request distinct quotes for repairing the existing door and replacing it. The replacement quote should identify removal, disposal, new hardware, opener compatibility, installation, permits if applicable, and warranty coverage. This makes the future cost easier to compare.

How to Choose Garage Door Repair Near Me in Los Angeles

When trying to find garage door repair near me, choose a certified garage door contractor with a documented local business presence and expertise in 2-car doors. Ask whether the company is fully licensed and insured, and confirm that the technician who arrives is approved to perform the work.

Obtain a formal written estimate before approving non-urgent repairs. It should detail the problem, recommended parts, labor cost, service call fee, taxes, disposal, expected repair timeline, and payment terms. Be careful with an unusually low advertised price that increases substantially after the technician arrives.

Ask about the parts warranty and labor warranty. A manufacturer warranty may include certain door sections or opener components but leave out installation, normal wear, corrosion, or misuse. A reliable contractor should describe what the warranty covers and how to request service.

Compare at least two or three estimates when time permits. Check whether each contractor is quoting the same scope of work, spring cycle rating, insulation level, panel quality, opener features, and hardware. A lower price may exclude important safety components or use a door that does not match the existing system.

For coastal properties, ask how the recommended springs, rollers, tracks, and fasteners will be protected from corrosion. For homes governed by an HOA, verify color, window, and exterior-design rules before ordering a replacement door.

What to Anticipate During a Garage Door Repair Service Call

A qualified visit usually starts with an assessment of the door, frame, garage door tracks, rollers, hinges, cables, springs, bottom seal, and opener. The technician should establish whether the problem is mechanical, electrical, structural, or caused by an obstruction.

The technician may perform a balance test by disconnecting the opener and manually checking whether the door remains in position. A properly balanced door should not feel excessively heavy or drop suddenly. The opener, photo-eye sensors, reversing function, emergency release, and remote control should also be examined.

After explaining the findings, the contractor should provide repair options and a written price. Simple adjustments or replacement of common parts may be finished during the first visit. Special-order panels, springs, or openers may require a return appointment. The repair timeline can extend from less than an hour for a minor adjustment to several hours for complicated installation.

A safety inspection should be carried out after the work. The technician should confirm that the door opens and closes smoothly, remains balanced, reverses when appropriate, and does not bind against the tracks. Ask for maintenance recommendations, including lubrication points, visual checks, and signs of future wear. A scheduled maintenance visit can detect worn rollers, loose fasteners, deteriorating seals, and corrosion before they become urgent failures.

Frequently Asked Questions

How much does garage door repair cost in Los Angeles?

The garage door repair cost in Los Angeles typically falls from about \$150 to \$900 for standard repairs. Spring replacement often costs approximately \$200 to \$500, while opener replacement, multiple damaged components, structural work, or emergency garage door repair may cost more. The final price varies according to labor and parts, door size, access, parts availability, and service timing.

What is the usual 2-car garage door replacement cost?

The typical 2-car garage door replacement cost is around \$1,200 to \$4,000 for many standard steel or insulated models once installed. Wood, composite, aluminum, custom glass, and architectural doors may range from \$2,500 to \$8,000 or more. The two car garage door replacement cost should account for removal, disposal, hardware, installation, and any necessary framing or electrical work.

How much does garage door spring replacement cost near me?

Garage door spring replacement near me typically costs approximately \$200 to \$500 for a standard residential 2-car door in the Los Angeles area. A torsion spring, extension spring, weightier door, special-order part, emergency visit, or damaged shaft can affect the price. Ask for the spring type, cycle rating, labor, warranty, and safety inspection in the provided quote.

Is it cheaper to repair a garage door panel or replace the whole door?

Installing one garage door panel is usually more affordable than installing the entire door when the manufacturer still supplies a matching section and the remaining door is in good condition. Panel replacement may cost approximately \$250 to \$1,200. Full replacement may be more appropriate when multiple sections are affected, the door is worn, matching parts are not available, or the hardware and insulation also need upgrading.

How can I choose a reliable garage door repair company near me in Los Angeles?

Look for a licensed garage door contractor who is fully insured, provides a written estimate, details replacement parts and labor, and offers a comprehensive warranty. Confirm the company serves your location, whether in Los Angeles, the San Fernando Valley, Santa Monica, Pasadena, Long Beach, or another nearby community. Compare

estimates with the same scope of work, and **Garage Door Installation** ask for inspection, safety testing, maintenance recommendations, and the expected repair timeline.